ELSEVIER

Molecular and Cell Biology of Lipids

Vol. 1437, 1999

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Abuja, P.M., see Kratky, D. (1437) 13
Antonenkov, V.D., Van Veldhoven, P.P., Waelkens, E. and Mannaerts, G.P.
Comparison of the stability and substrate specificity of purified peroxisomal 3-oxoacyl-CoA thiolases A and B from rat liver (1437) 136
Aoyagi, M., see Hamasaki, H. (1437) 93
Audubert, F., Klapisz, E., Berguerand, M., Gouache, P., Jouniaux, A.-M., Bérézíat, G. and Masliah, J.
Differential potentiation of arachidonic acid release by rat α_2 adrenergic receptor subtypes (1437) 265
Avdulov, N.A., Chochina, S.V., Igbavboa, U., Warden, C.S., Schroeder, F. and Wood, W.G.
Lipid binding to sterol carrier protein-2 is inhibited by ethanol (1437) 37
Avella, M., see Bravo, E. (1437) 367

Balla, A., see Gehrmann, T. (1437) 341
Bartlett, K., see Eaton, S. (1437) 402
Bell, M.V., see Ghioni, C. (1437) 170
Bérézíat, G., see Audubert, F. (1437) 265
Berguerand, M., see Audubert, F. (1437) 265
Berry, G.T., see Yorek, M.A. (1437) 287
Bianchi, R., see Yorek, M.A. (1437) 287
Binaglia, L., see Mancini, A. (1437) 80
Blecha, F., see He, X.-Y. (1437) 119
Börchers, T., see Wolfrum, C. (1437) 194
Botham, K.M., see Bravo, E. (1437) 367
Bravo, E., Cantafora, A., Cicchini, C., Avella, M. and Botham, K.M.
The influence of estrogen on hepatic cholesterol metabolism and biliary lipid secretion in rats fed fish oil (1437) 367
Brennan, P.J., see Salman, M. (1437) 325
Buhlmann, C., see Wolfrum, C. (1437) 194

Cantafora, A., see Bravo, E. (1437) 367
Cesar, T.B., see Hirata, R.D.C. (1437) 53
Chochina, S.V., see Avdulov, N.A. (1437) 37
Choi, M.-U., see Kim, D.-U. (1437) 409
Cicchini, C., see Bravo, E. (1437) 367
Coletti, L., see Mancini, A. (1437) 80

Daniotti, J.L., see Maccioni, H.J.F. (1437) 101
de Crom, R., van Haperen, R., Janssens, R., Visser, P., Willemsen, R., Grosveld, F. and van der Kamp, A.
Gp96/GRP94 is a putative high density lipoprotein-binding protein in liver (1437) 378
Del Rosso, F., see Mancini, A. (1437) 80
Dennis, E.A., see Wang, A. (1437) 157
Dick, J.R., see Ghioni, C. (1437) 170
Dixon, J.L., see Sakata, N. (1437) 71
Dunlap, J.A., see Yorek, M.A. (1437) 287

Eaton, S., Bartlett, K. and Pourfarzam, M.
Intermediates of myocardial mitochondrial β-oxidation: possible channelling of NADH and of CoA esters (1437) 402
Eichberg, J., see Yorek, M.A. (1437) 287
Erbersdobler, H.F., see Trautwein, E.A. (1437) 1
Esterbauer, H., see Kratky, D. (1437) 13

Forgbert, K., see Trautwein, E.A. (1437) 1
Forte, T.M., see McCall, M.R. (1437) 23
Friedman, P., see Wang, A. (1437) 157
Fukuzawa, K., see Tokumura, A. (1437) 235
Furster, C. and Wikvall, K.
Identification of CYP3A4 as the major enzyme responsible for 25-hydroxylation of 5β-cholestane-3α,7α,12α-triol in human liver microsomes (1437) 46

Garrett, T.A., Rosser, M.F.N. and Raetz, C.R.H.
Signal transduction triggered by lipid A-like molecules in 70Z/3 pre-B lymphocyte tumor cells (1437) 246
Gehrmann, T., Gülkan, H., Suer, S., Herberg, F.W., Balla, A., Vereb, G., Mayr, G.W. and Heilmeyer Jr., L.M.G.
Functional expression and characterisation of a new human phosphatidylinositol 4-kinase PI4K230 (1437) 341
Ghioni, C., Tocher, D.R., Bell, M.V., Dick, J.R. and Sargent, J.R.
Low C_{18} to C_{20} fatty acid elongase activity and limited conversion of stearidonic acid, 18:4(*n*-3), to eicosapentaenoic acid, 20:5(*n*-3), in a cell line from the turbot, *Scophthalmus maximus* (1437) 170
Gouache, P., see Audubert, F. (1437) 265
Griffiths, D.H., see Hill, D.J. (1437) 63
Grimshaw, R.M., see Sugden, M.C. (1437) 202
Gromadzińska, E., see Żylińska, L. (1437) 257
Grosveld, F., see de Crom, R. (1437) 378
Gülkan, H., see Gehrmann, T. (1437) 341

Hamasaki, H., Aoyagi, M., Kasama, T., Handa, S., Hirakawa, K. and Taki, T.
GT1b in human metastatic brain tumors: GT1b as a brain metastasis-associated ganglioside (1437) 93
Handa, S., see Hamasaki, H. (1437) 93
He, X.-Y., Zhang, G., Blecha, F. and Yang, S.-Y.
Identity of heart and liver L-3-hydroxyacyl coenzyme A dehydrogenase (1437) 119
Heilmeyer Jr., L.M.G., see Gehrmann, T. (1437) 341
Heravi, J. and Waite, M.
Transacylase formation of bis(monoacylglycerol)phosphate (1437) 277
Herberg, F.W., see Gehrmann, T. (1437) 341
Hill, D.J., Griffiths, D.H. and Rowley, A.F.
Trout thrombocytes contain 12- but not 5-lipoxygenase activity (1437) 63
Hirakawa, K., see Hamasaki, H. (1437) 93
Hirata, M.H., see Hirata, R.D.C. (1437) 53

ELSEVIER

Molecular and Cell Biology of Lipids

Vol. 1437, 1999

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Abuja, P.M., see Kratky, D. (1437) 13
Antonenkov, V.D., Van Veldhoven, P.P., Waelkens, E. and Mannaerts, G.P.
Comparison of the stability and substrate specificity of purified peroxisomal 3-oxoacyl-CoA thiolases A and B from rat liver (1437) 136
Aoyagi, M., see Hamasaki, H. (1437) 93
Audubert, F., Klapisz, E., Berguerand, M., Gouache, P., Jouniaux, A.-M., Bérézíat, G. and Masliah, J.
Differential potentiation of arachidonic acid release by rat α_2 adrenergic receptor subtypes (1437) 265
Avdulov, N.A., Chochina, S.V., Igbavboa, U., Warden, C.S., Schroeder, F. and Wood, W.G.
Lipid binding to sterol carrier protein-2 is inhibited by ethanol (1437) 37
Avella, M., see Bravo, E. (1437) 367

Balla, A., see Gehrmann, T. (1437) 341
Bartlett, K., see Eaton, S. (1437) 402
Bell, M.V., see Ghioni, C. (1437) 170
Bérézíat, G., see Audubert, F. (1437) 265
Berguerand, M., see Audubert, F. (1437) 265
Berry, G.T., see Yorek, M.A. (1437) 287
Bianchi, R., see Yorek, M.A. (1437) 287
Binaglia, L., see Mancini, A. (1437) 80
Blecha, F., see He, X.-Y. (1437) 119
Börchers, T., see Wolfrum, C. (1437) 194
Botham, K.M., see Bravo, E. (1437) 367
Bravo, E., Cantafora, A., Cicchini, C., Avella, M. and Botham, K.M.
The influence of estrogen on hepatic cholesterol metabolism and biliary lipid secretion in rats fed fish oil (1437) 367
Brennan, P.J., see Salman, M. (1437) 325
Buhlmann, C., see Wolfrum, C. (1437) 194

Cantafora, A., see Bravo, E. (1437) 367
Cesar, T.B., see Hirata, R.D.C. (1437) 53
Chochina, S.V., see Avdulov, N.A. (1437) 37
Choi, M.-U., see Kim, D.-U. (1437) 409
Cicchini, C., see Bravo, E. (1437) 367
Coletti, L., see Mancini, A. (1437) 80

Daniotti, J.L., see Maccioni, H.J.F. (1437) 101
de Crom, R., van Haperen, R., Janssens, R., Visser, P., Willemsen, R., Grosveld, F. and van der Kamp, A.
Gp96/GRP94 is a putative high density lipoprotein-binding protein in liver (1437) 378
Del Rosso, F., see Mancini, A. (1437) 80
Dennis, E.A., see Wang, A. (1437) 157
Dick, J.R., see Ghioni, C. (1437) 170
Dixon, J.L., see Sakata, N. (1437) 71
Dunlap, J.A., see Yorek, M.A. (1437) 287

Eaton, S., Bartlett, K. and Pourfarzam, M.
Intermediates of myocardial mitochondrial β-oxidation: possible channelling of NADH and of CoA esters (1437) 402
Eichberg, J., see Yorek, M.A. (1437) 287
Erbersdobler, H.F., see Trautwein, E.A. (1437) 1
Esterbauer, H., see Kratky, D. (1437) 13

Forgbert, K., see Trautwein, E.A. (1437) 1
Forte, T.M., see McCall, M.R. (1437) 23
Friedman, P., see Wang, A. (1437) 157
Fukuzawa, K., see Tokumura, A. (1437) 235
Furster, C. and Wikvall, K.
Identification of CYP3A4 as the major enzyme responsible for 25-hydroxylation of 5β-cholestane-3α,7α,12α-triol in human liver microsomes (1437) 46

Garrett, T.A., Rosser, M.F.N. and Raetz, C.R.H.
Signal transduction triggered by lipid A-like molecules in 70Z/3 pre-B lymphocyte tumor cells (1437) 246
Gehrmann, T., Gülkan, H., Suer, S., Herberg, F.W., Balla, A., Vereb, G., Mayr, G.W. and Heilmeyer Jr., L.M.G.
Functional expression and characterisation of a new human phosphatidylinositol 4-kinase PI4K230 (1437) 341
Ghioni, C., Tocher, D.R., Bell, M.V., Dick, J.R. and Sargent, J.R.
Low C_{18} to C_{20} fatty acid elongase activity and limited conversion of stearidonic acid, 18:4(*n*-3), to eicosapentaenoic acid, 20:5(*n*-3), in a cell line from the turbot, *Scophthalmus maximus* (1437) 170
Gouache, P., see Audubert, F. (1437) 265
Griffiths, D.H., see Hill, D.J. (1437) 63
Grimshaw, R.M., see Sugden, M.C. (1437) 202
Gromadzińska, E., see Żylińska, L. (1437) 257
Grosveld, F., see de Crom, R. (1437) 378
Gülkan, H., see Gehrmann, T. (1437) 341

Hamasaki, H., Aoyagi, M., Kasama, T., Handa, S., Hirakawa, K. and Taki, T.
GT1b in human metastatic brain tumors: GT1b as a brain metastasis-associated ganglioside (1437) 93
Handa, S., see Hamasaki, H. (1437) 93
He, X.-Y., Zhang, G., Blecha, F. and Yang, S.-Y.
Identity of heart and liver L-3-hydroxyacyl coenzyme A dehydrogenase (1437) 119
Heilmeyer Jr., L.M.G., see Gehrmann, T. (1437) 341
Heravi, J. and Waite, M.
Transacylase formation of bis(monoacylglycerol)phosphate (1437) 277
Herberg, F.W., see Gehrmann, T. (1437) 341
Hill, D.J., Griffiths, D.H. and Rowley, A.F.
Trout thrombocytes contain 12- but not 5-lipoxygenase activity (1437) 63
Hirakawa, K., see Hamasaki, H. (1437) 93
Hirata, M.H., see Hirata, R.D.C. (1437) 53

Hirata, R.D.C., Hirata, M.H., Mesquita, C.H., Cesar, T.B. and Maranhão, R.C.
Effects of apolipoprotein B-100 on the metabolism of a lipid microemulsion model in rats (1437) 53
Hoe, K.-L., see Kim, D.-U. (1437) 409
Holness, M.J., see Sugden, M.C. (1437) 202
Horrocks, L.A., see Jurkowitz, M.S. (1437) 142

Ighavboa, U., see Avdulov, N.A. (1437) 37
Iwase, H., see Sakurada, K. (1437) 214

Jang, Y.-J., see Kim, D.-U. (1437) 409
Janssens, R., see de Crom, R. (1437) 378
Johnson, C.A., see Wang, A. (1437) 157
Jouniaux, A.-M., see Audubert, F. (1437) 265
Jurkowitz, M.S., Horrocks, L.A. and Litsky, M.L.
Identification and characterization of alkenyl hydrolase (lysoplasmalogenase) in microsomes and identification of a plasmalogen-active phospholipase A_2 in cytosol of small intestinal epithelium (1437) 142

Kainou, T., Kawamura, K., Tanaka, K., Matsuda, H. and Kawamukai, M.
Identification of the *GGPS1* genes encoding geranylgeranyl diphosphate synthases from mouse and human (1437) 333
Kasama, T., see Hamasaki, H. (1437) 93
Kawamukai, M., see Kainou, T. (1437) 333
Kawamura, K., see Kainou, T. (1437) 333
Kim, D.-U., Roh, T., Lee, J., Noh, J., Jang, Y.-J., Hoe, K.-L., Yoo, H.-S. and Choi, M.-U.
Molecular cloning and functional expression of a phospholipase D from cabbage (*Brassica oleracea* var. *capitata*) (1437) 409
Klapisz, E., see Audubert, F. (1437) 265
Kobayashi, M., see Sakurada, K. (1437) 214
Kratky, D., Lass, A., Abuja, P.M., Esterbauer, H. and Kühn, H.
A sensitive chemiluminescence method to measure the lipoxygenase catalyzed oxygenation of complex substrates (1437) 13
Krauss, R.M., see McCall, M.R. (1437) 23
Kühn, H., see Kratky, D. (1437) 13
Kuwahata, M., see Sasagawa, T. (1437) 317

La Belle, M., see McCall, M.R. (1437) 23
Lachowicz, L., see Żylińska, L. (1437) 257
Lass, A., see Kratky, D. (1437) 13
Lee, J., see Kim, D.-U. (1437) 409
Liminga, M. and Oliw, E.
cDNA cloning of 15-lipoxygenase type 2 and 12-lipoxygenases of bovine corneal epithelium (1437) 124
Litsky, M.L., see Jurkowitz, M.S. (1437) 142
Lonsdale, J.T., see Salman, M. (1437) 325
Lumb, R.H., see Samples, B.L. (1437) 357

Maccioni, H.J.F., Daniotti, J.L. and Martina, J.A.
Organization of ganglioside synthesis in the Golgi apparatus (1437) 101
Mancini, A., Del Rosso, F., Roberti, R., Orvietani, P., Coletti, L. and Binaglia, L.
Purification of ethanolaminephosphotransferase from bovine liver microsomes (1437) 80
Mannaerts, G.P., see Antonenkov, V.D. (1437) 136
Manzo-Fontes, A., see Yorek, M.A. (1437) 287
Maranhão, R.C., see Hirata, R.D.C. (1437) 53
Martina, J.A., see Maccioni, H.J.F. (1437) 101
Masliah, J., see Audubert, F. (1437) 265
Matsuda, H., see Kainou, T. (1437) 333
Matsuda, Y., see Sakurada, K. (1437) 214
Mayr, G.W., see Gehrmann, T. (1437) 341
McCall, M.R., La Belle, M., Forte, T.M., Krauss, R.M., Takanami, Y. and Tribble, D.L.
Dissociable and nondissociable forms of platelet-activating factor acetylhydrolase in human plasma LDL: implications for LDL oxidative susceptibility (1437) 23
Mesquita, C.H., see Hirata, R.D.C. (1437) 53
Muñoz, S., see Sasagawa, T. (1437) 317

Nagao, M., see Sakurada, K. (1437) 214
Nakajima, M., see Sakurada, K. (1437) 214
Natori, Y., see Sasagawa, T. (1437) 317
Niijima, H., see Sakurada, K. (1437) 214
Nishimaki-Mogami, T., see Okochi, E. (1437) 393
Nishimoto, Y., see Sasagawa, T. (1437) 317
Nishioka, Y., see Tokumura, A. (1437) 235
Noh, J., see Kim, D.-U. (1437) 409

Oka, T., see Sasagawa, T. (1437) 317
Okita, M., see Sasagawa, T. (1437) 317
Okochi, E., Nishimaki-Mogami, T., Suzuki, K. and Takahashi, A.
Perfluorooctanoic acid, a peroxisome-proliferating hypolipidemic agent, dissociates apolipoprotein B48 from lipoprotein particles and decreases secretion of very low density lipoproteins by cultured rat hepatocytes (1437) 393
Oliw, E., see Liminga, M. (1437) 124
Orvietani, P., see Mancini, A. (1437) 80

Pool, G.L., see Samples, B.L. (1437) 357
Pourfarzam, M., see Eaton, S. (1437) 402

Raetz, C.R.H., see Garrett, T.A. (1437) 246
Rieckhoff, D., see Trautwein, E.A. (1437) 1
Roberti, R., see Mancini, A. (1437) 80
Roh, T., see Kim, D.-U. (1437) 409
Rolf, B., see Wolfrum, C. (1437) 194
Rosser, M.F.N., see Garrett, T.A. (1437) 246
Rowley, A.F., see Hill, D.J. (1437) 63

Sakata, N. and Dixon, J.L.
Ubiquitin-proteasome-dependent degradation of apolipoprotein B100 in vitro (1437) 71
Sakurada, K., Iwase, H., Takatori, T., Nagao, M., Nakajima, M., Niijima, H., Matsuda, Y. and Kobayashi, M.
Identification of *cis*-9,10-methylenehexadecanoic acid in submitochondrial particles of bovine heart (1437) 214
Salman, M., Brennan, P.J. and Lonsdale, J.T.
Synthesis of mycolic acids of mycobacteria: an assessment of the cell-free system in light of the whole genome (1437) 325
Samples, B.L., Pool, G.L. and Lumb, R.H.
Subcellular localization of enzyme activities involved in the metabolism of platelet-activating factor in rainbow trout leukocytes (1437) 357
Sargent, J.R., see Ghioni, C. (1437) 170
Sasagawa, T., Oka, T., Tokumura, A., Nishimoto, Y., Muñoz, S., Kuwahata, M., Okita, M., Tsuji, H. and Natori, Y.
Analysis of the fatty acid components in a perchloric acid-soluble protein (1437) 317
Schroeder, F., see Avdulov, N.A. (1437) 37
Shiao, M.-S., see Su, C.-Y. (1437) 223
Shinomiya, J., see Tokumura, A. (1437) 235

Spener, F., see Wolfrum, C. (1437) 194
Su, C.-Y., Shiao, M.-S. and Wang, C.-T
Predominant inhibition of ganodermic acid S on the thromboxane A_2-dependent pathway in human platelets response to collagen (1437) 223
Suer, S., see Gehrmann, T. (1437) 341
Sugden, M.C., Grimshaw, R.M. and Holness, M.J.
Caloric restriction leads to regional specialisation of adipocyte function in the rat (1437) 202
Sugimoto, H., see Toyoda, T. (1437) 182
Suzuki, K., see Okochi, E. (1437) 393

Tabas, I., see Tang, W. (1437) 301
Takahashi, A., see Okochi, E. (1437) 393
Takanami, Y., see McCall, M.R. (1437) 23
Takatori, T., see Sakurada, K. (1437) 214
Taki, T., see Hamasaki, H. (1437) 93
Tanaka, K., see Kainou, T. (1437) 333
Tang, W., Walsh, A. and Tabas, I.
Macrophage-targeted CTP:phosphocholine cytidylyltransferase (1–314) transgenic mice (1437) 301
Tocher, D.R., see Ghioni, C. (1437) 170
Tokumura, A., see Sasagawa, T. (1437) 317
Tokumura, A., Nishioka, Y., Yoshimoto, O., Shinomiya, J. and Fukuzawa, K.
Substrate specificity of lysophospholipase D which produces bioactive lysophosphatidic acids in rat plasma (1437) 235
Toyoda, T., Sugimoto, H. and Yamashita, S.
Sequence, expression in *Escherichia coli*, and characterization of lysophospholipase II (1437) 182
Trautwein, E.A., Forgbert, K., Rieckhoff, D. and Erbersdobler, H.F.
Impact of β-cyclodextrin and resistant starch on bile acid metabolism and fecal steroid excretion in regard to their hypolipidemic action in hamsters (1437) 1
Tribble, D.L., see McCall, M.R. (1437) 23
Tsuji, H., see Sasagawa, T. (1437) 317

van der Kamp, A., see de Crom, R. (1437) 378
van Haperen, R., see de Crom, R. (1437) 378
Van Veldhoven, P.P., see Antonenkov, V.D. (1437) 136
Vereb, G., see Gehrmann, T. (1437) 341
Visser, P., see de Crom, R. (1437) 378

Waelkens, E., see Antonenkov, V.D. (1437) 136
Waite, M., see Heravi, J. (1437) 277
Walsh, A., see Tang, W. (1437) 301
Wang, A., Yang, H.-C., Friedman, P., Johnson, C.A. and Dennis, E.A.
A specific human lysophospholipase: cDNA cloning, tissue distribution and kinetic characterization (1437) 157
Wang, C.-T., see Su, C.-Y. (1437) 223
Warden, C.S., see Avdulov, N.A. (1437) 37
Wikvall, K., see Furster, C. (1437) 46
Willemsen, R., see de Crom, R. (1437) 378
Wolfrum, C., Buhlmann, C., Rolf, B., Börchers, T. and Spener, F.
Variation of liver-type fatty acid binding protein content in the human hepatoma cell line HepG2 by peroxisome proliferators and antisense RNA affects the rate of fatty acid uptake (1437) 194
Wood, W.G., see Avdulov, N.A. (1437) 37

Yamashita, S., see Toyoda, T. (1437) 182
Yang, H.-C., see Wang, A. (1437) 157
Yang, S.-Y., see He, X.-Y. (1437) 119
Yoo, H.-S., see Kim, D.-U. (1437) 409
Yorek, M.A., Dunlap, J.A., Manzo-Fontes, A., Bianchi, R., Berry, G.T. and Eichberg, J.
Abnormal *myo*-inositol and phospholipid metabolism in cultured fibroblasts from patients with ataxia telangiectasia (1437) 287
Yoshimoto, O., see Tokumura, A. (1437) 235

Żyliińska, L., Gromadzińska, E. and Lachowicz, L.
Short-time effects of neuroactive steroids on rat cortical Ca^{2+}-ATPase activity (1437) 257
Zhang, G., see He, X.-Y. (1437) 119